



SMART DIGITAL MULTIMETER

KPS-MT900



Residential



Industry



- ☐ Digital multimeter
- ☐ 6000 accounts
- ☐ DC/AC voltage, resistance, frequency and duty cycle measurements
- ☐ Double screen
- ☐ SMART function: automatic detection of the measured parameter
- ☐ Audible continuity warning device
- ☐ Non-contact voltage detection
- ☐ Maximum and minimum values
- ☐ Holding of readings on the screen
- ☐ Auto power off, automatic scaling, backlit display and low battery indication
- ☐ CAT.III 600V according to EN 61010





KPS-MT900

SMART DIGITAL MULTIMETER

General	
Power Supply	2×1.5V AAA Batteries
Product Size	150mm x 74mm x 48mm
Product Weight	220g
Certificate	CE/ETL/RoHS
Safety Rating	CAT III 600V

Specs	
Display Counts	6000
Auto Range	✓
Auto Power Off	✓
Dual Display	✓
Continuity (<40 Ω)	✓
MAX/MIN	✓
Display Backlight	✓
Low Battery Display	✓
Non-Contact Voltage Detector	✓



KPS-MT900

SMART DIGITAL MULTIMETER

Specs	Range	Resolution	Accuracy
DC Voltage	6V/60V/600V	0.01V/0.1V/1V	± (0.5% + 3 dígitos)
AC Voltage	6V/60V/600V	0.01V/0.1V/1V	± (0.8% + 5 dígitos)
Resistance	2kΩ/20kΩ/200kΩ/2MΩ	1Ω/10Ω/0.1kΩ/1kΩ	± (0.8% + 3 dígitos)
	10MΩ	10MΩ	± (1.0% + 5 dígitos)
Frequency	60Hz/3kHz	0.1Hz/1Hz/10Hz	± (1.0% + 5 dígitos)
Work Cycle	10% ~ 90%	1%	± 2.0%

Product Code Information

SKU	KPSMT900CBINT
EAN code	8435394747156
UPC code	810053670101
Pcs/export carton	20